

elipson® | Prestige Facet II 34F

ENCEINTE COLONNE - 3 VOIES - BASS-REFLEX



La Prestige Facet II 34F sublime votre expérience d'écoute avec une nouvelle finition satinée, des renforts optimisés, un filtrage haut de gamme et un câblage en cuivre OFC.

Cette colonne 3 voies, équipée de deux haut-parleurs de grave de 250 mm, deux médiums de 170 mm et d'un tweeter de 25 mm, offre une réponse en fréquence étendue de 25 Hz à 25 kHz, avec une sensibilité élevée de 94 dB.

La charge bass-reflex accordée à 26 Hz assure des basses profondes et maîtrisées, idéales pour la Hi-Fi comme pour le home-cinéma



TECHNIQUE

Type

Enceinte colonne - 3 voies - Bass-reflex

Puissance

300 W RMS

Amplification recommandée

70 - 350W

Haut-parleurs

Tweeter : 25 mm
Médiums : 2 x 170 mm
Graves : 2 x 250 mm

Réponse en fréquence (±3dB)

25Hz - 25kHz

Sensibilité

94dB / 1W / 1m

Filtre répartiteur- Fc

230 & 4500 Hz - 12dB /
12dB - 12dB / 18dB

Impédance nominale

6 Ω

Impédance minimale

5,3 Ohms @ 88 Hz

Fréquence d'accord bass-reflex

26 Hz

Bornier

Argentés pour bi-câblage
ou bi-amplification

DIMENSIONS
POIDS

Dimensions sans/avec pieds

L295 x H1190 / L1230 x P376 mm

Poids sans/avec pieds

43,3 kg / 44 kg

Espace d'encombrement

L371 x P436 mm

PACKAGING

Packaging dimensions

L1345 x H475 x P540 mm

Poids brut

51 kg

FINITIONS
-
CODES
PRODUITS



Finition

Noir mat

SKU

ELIPF234FMBK

EAN

3700795194584



Finition

Blanc mat

SKU

ELIPF234FMWT

EAN

3700795194591



Finitions

Noir mat - Noyer

SKU

ELIPF234FWNBK

EAN

3700795194607

elipson® | Prestige Facet II 34F

FLOORSTANDING LOUDSPEAKER - 3 WAY - BASS-REFLEX



The Prestige Facet II 34F enhances your listening experience with a new satin finish, optimised bracing, high-end filtering and OFC copper cabling.

This 3-way floorstanding loudspeaker, equipped with two 10" bass drivers, two 7" midrange drivers and a 1" tweeter, offers an extended frequency response from 25 Hz to 25 kHz, with a high sensitivity of 94 dB.

The bass-reflex load tuned to 26 Hz ensures deep, controlled bass, ideal for both Hi-Fi and home cinema.





TECHNICAL

Type Floorstanding loudspeaker 3 way - Bass-reflex	Crossover 230 & 4500 Hz - 12dB / 12dB - 12dB / 18dB
Power 300 W RMS	Nominal impedance 6 Ω
Power amplifier 70 - 350W	Minimum Impedance 5,3 Ohms @ 88 Hz
Drive-Units Tweeter : 1" Mid-ranges : 2 x 7" Woofers : 2 x 10"	Tuned bass-reflex frequency 26 Hz
Frequency response (±3dB) 25Hz - 25kHz	Terminals Silver plated for bi-wiring or bi-amplification
Sensitivity 94dB / 1W / 1m	

DIMENSIONS
WEIGHTS

Dimensions without/with feet W295 x H1190 / W1230 x D376 mm	Weight without/with feet 43,3 kg / 44 kg
Space requirements W371 x D436 mm	

PACKAGING

Packaging dimensions W1345 x H475x D540 mm	Gross weight 51 kg
--	------------------------------

FINISHES
-
PRODUCTS
CODES

	Finish Black matt	SKU ELIPF234FMBK	EAN 3700795194584
	Finish White matt	SKU ELIPF234FMWT	EAN 3700795194591
	Finishes Black matt - Walnut	SKU ELIPF234FWNBK	EAN 3700795194607