

elipson® | Prestige Facet II 24F

ENCEINTE COLONNE - 3 ½ VOIES - BASS-REFLEX



Modèle phare de la gamme, la nouvelle Prestige Facet II 24F incarne l'évolution acoustique et esthétique de la série.

Dotée d'un tweeter de 25 mm, d'un médium de 170 mm et de deux boomers de 210 mm, elle offre une restitution puissante et nuancée sur tout le spectre.

Grâce aux améliorations de la série II – composants audiophiles, filtrage affiné, amortissement revu – elle conjugue dynamique, précision et musicalité, tout en conservant l'ADN visuel unique des Prestige Facet.



TECHNIQUE

Type Enceinte colonne - 3 ½ voies - Bass-reflex	Filtre répartiteur- Fc 350, 600 & 3800 Hz - 12dB - 12dB / 6dB - 12dB / 18dB
Puissance 250 W RMS	Impédance nominale 6 Ω
Amplification recommandée 50 - 350 W	Impédance minimale 3,8 Ω @ 127 Hz
Haut-parleurs Tweeter : 25 mm Médium : 170 mm Graves : 2 x 210 mm	Fréquence d'accord bass-reflex 30 Hz
Réponse en fréquence (±3dB) 28 Hz - 25kHz	Bornier Argentés pour bi-câblage ou bi-amplification
Sensibilité 93dB / 1W / 1m	

DIMENSIONS
POIDS

Dimensions sans/avec pieds L244 x H1100 / L1140 x P361 mm	Poids sans/avec pieds 28,5 kg / 29 kg
Espace d'encombrement L320 x P424 mm	

PACKAGING

Packaging dimensions L485 x H1260 x P375 mm	Poids brut 34,2 kg
---	------------------------------

FINITIONS
-
CODES
PRODUITS

	Finition Noir mat	SKU ELIPF224FMBK	EAN 3700795194522
	Finition Blanc mat	SKU ELIPF224FMWT	EAN 3700795194560
	Finitions Noir mat - Noyer	SKU ELIPF224FWNBK	EAN 3700795194577

elipson® | Prestige Facet II 24F

FLOORSTANDING LOUDSPEAKER - 3 ½ WAY - BASS-REFLEX



The flagship model of the range, the new Prestige Facet II 24F embodies the acoustic and aesthetic evolution of the series.

Equipped with a 1" tweeter, a 7" midrange and two 8" bass drivers, it delivers powerful, nuanced reproduction across the entire spectrum.

Thanks to Series II improvements - audiophile components, refined filtering, revised damping - it combines dynamics, precision and musicality, while retaining the unique visual DNA of Prestige Facet.





TECHNICAL

Type Floorstanding loudspeaker 3 ½ way - Bass-reflex	Crossover 350, 600 & 3800 Hz - 12dB - 12dB / 6dB - 12dB / 18dB
Power 250 W RMS	Nominal impedance 6 Ω
Power amplifier 50 - 350 W	Minimum Impedance 3,8 Ω @ 127 Hz
Drive-Units Tweeter : 1" Mid-range : 7" Woofers : 2 x 8"	Tuned bass-reflex frequency 30 Hz
Frequency response (±3dB) 28 Hz - 25kHz	Terminals Silver plated for bi-wiring or bi-amplification
Sensitivity 93dB / 1W / 1m	

DIMENSIONS
WEIGHTS

Dimensions without/with feet W244 x H1100 / L1140 x D361 mm	Weight without/with feet 28,5 kg / 29 kg
Space requirements W320 x D424 mm	

PACKAGING

Packaging dimensions W485 x H1260 x D375 mm	Gross weight 34,2 kg
---	--------------------------------

FINISHES
-
PRODUCTS
CODES

	Finish Black matt	SKU ELIPF224FMBK	EAN 3700795194522
	Finish White matt	SKU ELIPF224FMWT	EAN 3700795194560
	Finishes Black matt - Walnut	SKU ELIPF224FWNBK	EAN 3700795194577